

Bulletin

DATE: JANUARY 29, 2005 04-0752

TO: PROFESSIONAL AUDIO PRODUCTS DISTRIBUTORS

FROM: MARK BONIFACIO

SUBJECT: INTRODUCTION OF THE LMD-9050 LUMA LCD PROFESSIONAL VIDEO

MONITOR

Sony is pleased to announce the expansion of the LUMA $^{\text{TM}}$ LCD professional video monitor product line to include one new model, the LMD-9050.

The LMD-9050 is a new LCD monitor designed as the direct replacement for BVM-D9 series CRT monitors as well as a replacement for high end users of the PVM9L3 series who typically purchase the optional HD-SDI card. The PVM-9L3 is being discontinued as of March 31, 2005 or when inventory is depleted.

The LMD-9050 is a small sized LCD monitor with multi format support that allows usage in various applications such as shooting, OB van, ENG and editing systems. By employing a 1024x768 (XGA) LCD panel with high brightness, contrast, and fast response, it offers a picture quality with excellent color reproduction even in outdoor or ambient light. The panel offers a wide viewing angle of 170 degrees when viewed both up and down, and side to side. A multi-layered AR coating reduces exterior light reflection and protects the panel from shock or scratches.

The one piece design results in less weight and size, while maintaining the user-friendly interfaces. The LMD-9050 LCD monitor is perfect for less spacious editing suites, OB vans, control rooms and other applications. The panel has extensive built-in input/outputs for many formats, including HD-SDI.

PRODUCT	BRIEF	SUGGESTED	DISTRIBUTOR	
NAME	DESCRIPTION	LIST PRICE	PRICE	AVAILABLE
LMD-9050	8.4" LCD Monitor*	\$4,800.00	\$3,096.00	Middle of March 2005

^{*}Viewable area measured diagonally

INTRODUCTION OF THE LMD-9050 LUMA LCD PROFESSIONAL VIDEO MONITOR BULLETIN #04-0752

Page Two

Product Description:

The LMD-9050 is a one piece LCD professional video monitor with multi format capabilities ideal for SD and HD applications. The monitor's features include the following:

- 1024x768 resolution LCD panel
- Versatile input/ output options includes:

Line A - Y/C or Composite Video In Y/C or Composite Video Out Audio In

Line B - Composite Video In Composite Video Out Audio In

Analog RGB/Component In/Out with audio in/ out 2 HD-SDI or SDI Inputs with one output. Auto-detect between HDSDI or SDI signal

- 4:3 / 16:9 aspect ratio selection
- Monaural Speaker
- Adjustable color temperature (High/ Low/ user select)
- Parallel Remote
- Scan Mode (0%, 5%)
- AR coated protection panel
- Five Gamma Selections
- Mono/ Blue only mode
- Center marker, 4:3/ 16:9 aspect marker, safety marker, 4:3 zoom
- Three color tally
- Seven language on-screen menu
- 3 mode power system ~ AC100V, DC12V, Battery Adaptor

Optional accessories for the LMD-9050 include:

- VF-509 ENG Kit includes carrying handle, hood, cable protector
- MB-525 Rack Mount Enables a side-by-side mounting of 2 LMD-9050's with 5RU size
- MB-528 Blank Panel

Features and Benefits:

Full features, benefits, and specifications are available on-line at $\underline{\text{www.sony.com/luma}}$

INTRODUCTION OF THE LMD-9050 LUMA LCD PROFESSIONAL VIDEO MONITOR BULLETIN #04-0752

Page Three

Features and specifications subject to change without notice.

Please contact your local Account Manager for further information.

Good Selling!

Mark Bonifacio Marketing Manager Broadcast and Business Solutions Company

You have received this email advertisement because you have indicated a desire to receive communications from Sony Electronics regarding products, promotions, updated information and services.